



101 Frazee Avenue • Dartmouth Nova Scotia • Canada • B3B-1Z4

Tel: (902) 468-1001 Fax: (902) 468-1002

solarinfo@thermo-dynamics.com www.thermo-dynamics.com

RETAIL Price List			
Product #	Description	Retail	
		\$	
Solar Boiler™	Systems c/w module, collector(s), K1055, K1060, K2030-50, PV20, TG	270SB	
	NEW 2012 - Solar Storage Tank Included		
SB32-9 PVT	SBM-9, S32B semi-selective painted collector	4474	
SB64-9 PVT	SBM-9, S32A, S32B semi-selective painted collectors	5522	
Solar Boiler Syste	ms INCLUDETG270SB Solar Storage Tank with connections	•	
	nergy Ratings - SB32-9PV = 6.11 GJ/yr - SB64-9PV = 9.99 GJ/yr - Highest in Canada		
Solar Boiler™	Systems c/w module, collector(s), K1055, K1060, K2030-50, PV20		
	s. Solar Storage tank not included		
SB32-9 PV	SBM-9, S32B semi-selective painted collector	3985	
SB64-9 PV	SBM-9, S32A, S32B semi-selective painted collectors	5033	
	•	•	
Solar Collecto	rs		
G32 - P	4' x 8' grid, 3/4" headers, semi-selective painted surface	999	
G32 - SP *	4' x 8' grid, 3/4" headers, selective surface	1128	
GXX	I" header - additional charge	92	
GU34	3/4" unions installed on grid collector - additional charge	32	
S32A - P	4' x 8' serpentine, semi-selective painted surface	999	
S32B - P	4' x 8' serpentine, semi-selective painted surface	999	
S32A - SP *	4' x 8' serpentine, selective surface	1128	
S32B - SP *	4' x 8' serpentine, selective surface	1128	
ST or GT	4' x 8' - 4" thick collector additional charge	89	
	<u> </u>	•	
Solar Boiler™	Module	NEW 2012	
SBM-13DC*	Solar Boiler™ module MAG DRIVE (12VDC)	2242	
SBM13DCeMAG	Solar Boiler™ module eMAG DRIVE (12 VDC)**	2731	
	**INCLUDES 60 IG (270 liter) TG270SB storage tank		
	·		
eMAG Solar P	umps™	NEW 2012	
P24070eMAG	eMAG Solar Pump™, 2.4 L/min	512	
P50140eMAG	eMAG Solar Pump™, 5.0 L/min	538	
•			
Solar Pumps™	, Magnetic Drive and Direct Drive		
P24070	Solar Pump™, (Pump/motor/LCB) 2.4 L/min - 70 GPH	617	
P50140	Solar Pump™, (Pump/motor/LCB) 5.0 L/min - 140 GPH	637	
P118330**	Solar Pump™, (Pump/motor/LCB) 11.8 L/min - 330 GPH	729	
P24070M**	Solar Pump™, P24070 - Magnetic Drive - built-in strainer n/a	667	
P50140M**	Solar Pump™, P50140 - Magnetic Drive - built-in strainer n/a	670	
PV modules a			
PV20	20 watt PV module	244	
PV30	30 watt PV module	305	
DTB II	Delta-T Booster II (Sensors not included)	132	

Visit us on the web at: www.thermo-dynamics.com Email us at: solarinfo@thermo-dynamics.com

PRICE LIST 2012 (Retail)

PRICE LIST 2012 (Retail)				
Product #	Description	Retail		
Pumps Mot	ors and accessories	\$		
BP015	Pump (brass, rotary vane) c/w built-in strainer (replaces 1521)	245		
BP070	Pump (brass, rotary vane) c/w built-in strainer (replaces 1521)	223		
BP140	Pump (brass, rotary vane) c/w built-in strainer (replaces 1505)	247		
BP330**	Pump (brass, rotary vane) 330 GPH - built-in strainer n/a	346		
BP070M**	Pump (brass, rotary vane) 70 GPH - Magnetic Drive	298		
BP140M**	Pump (brass, rotary vane) 140 GPH - Magnetic Drive	313		
MPS-DCM**		540		
MPS-DCM	Pump/motor set (includes MDCF and BP070M)	473		
MDCV	Pump/motor set (includes MDCV and BP070) DC motor, (1/15 hp, 20 watts), V-band mount			
MDCF		265 230		
_	DC motor, (1/15 hp, 20 watts), flange mount			
RH-I	Rubber Hoses c/w 1/2" female swivel fitting, pair	31		
RES	Solar Pump Resevoir Unit	459		
Installation				
K2030-50	Copper tube kit, 50' (3/8" & 3/4") - New 2012 - 3/4" Wall	407		
GTSW	G Series Sensor Well	92		
GAV	G Series Auto Air Vent Assembly	52		
GDV	G Series Drain Valve Assembly	43		
STSE	S Series Sensor Enclosure, brown	25		
U34	3/4" Union for G Series Collectors	12		
K4000	Solar Boiler PRV upgrade kit	34		
CT6-50	Copper tube (50' x 3/8")	107		
LVT16/4	PV and Sesnor Wire, 16 gauge, 4 conductor, per foot	0.60		
CTI	Pipe insulation 3/8"ID x 3/4" wall, per 6 ft length	14		
Slimduct Co	anduit			
SD100	Slimduct Conduit, 6.5 feet	36		
SJ100	Slimduct Coupler	10		
SW100	Slimduct Wall Inlet	24		
SC100	Slimduct Vertical Elbow	24		
SK100	Slimduct Flat Elbow	19		
SEN100	Slimduct End Fitting	l		
SFLEX	Slimduct Flexible Elbow	19		
SILLX	Similate Frexible Fibow	17		
Collector R				
K1000	Galvanized strut, I-5/8", per foot (Unistrut) HDG	5.79		
K1002	Galvanized strut - single tier upright - for pitched roof	264		
K1004	Galvanized strut - single tier upright - 45° - ground or flat roof	270		
K1006	Galvanized strut - single tier upright - 60° - ground or flat roof	280		
K1050	Flush mount kit (for I G or S collector)	41		
K1052S	Single collector pinch clip, c/w spring nut and ss bolt	6.60		
K1052D	Double collector pinch clip, c/w spring nut and ss bolt	8.20		
K1055	Flush mount kit (for 2 S collectors)	77		
K1056	Flat roof kit (for 2 S collectors)	368		
K1057	Flat roof kit (for 1 S collector)	182		
K1058	Inclined roof kit (for 2 S collectors)	321		
K1059	Inclined roof kit (for 1 S collector)	158		
K1060	PV module mounting kit (mounts PV20 to collector)	38		
Storage Tar	nks			
TG180	Tank - glass lined (180 liter glass lined)	400		
		100		

Product #	Description	Retail
		\$
Miscellaneou		100
GLYUSP	Propylene glycol, USP pure (\$/litre)	10.8
GLYUSM	Propylene glycol, USP mixed 40/60 with Distilled water (\$/litre)	6.4
GL-30	Solar controller (120 VAC)	227
SAS-10	Thermistor temperature sensor (10,000 ohm)	20
SAS-10C	Thermistor temperature sensor (10,000 ohm) - copper casing	23
P1542F	Grundfos circulator (15 ft-21 USGPM)	17!
PS1542F	Grundfos circulator (3 Speed)	174
PI518SU	Grundfos circulator SS (7 ft-11 USGPM) c/w unions	294
P2699BF	Grundfos circulator Bronze (30 ft-35 USGPM)	467
PFL	Flanges, pair (P008 or P009 or P1542 or P2699F)	25
C-1 Cl		
Solar Glass GL24 *	Solar glass (34" × 96") tempered	18
GL25 *	Solar glass (46" x 76") tempered	194
GL28 *	Solar glass (46" x 84") tempered	214
GL32	Solar glass (46" x 96") tempered	196
GL40	Solar glass (46" x120") tempered	304
GLC	Solar glass crate (per 1-3 sheets)	58
Solar Collect	or Absorbers and Headers	
AG25 *	4' x 6.5' grid, 3/4" headers	402
AG32 - P	4' x 8' grid, 3/4" headers, semi-selective painted surface	42
AG32 - SP	4' x 8' grid, 3/4" headers, selective surface	518
AG40 - P	4' x 10' grid, 3/4" headers	506
AS25 *	4' x 6.5' serpentine	322
AS32 - P	4' x 8' serpentine, semi-selective painted surface	372
AS32 - SP	4' x 8' serpentine, selective surface	514
AS40 - P	4' x 10' serpentine	496
RN12	Round-rhombic nipple, 12 mm	2.00
H075		54
H100	Header, 3/4", c/w brazed nipples Header, I", c/w brazed nipples	78
11100	Treater, 1, C/W brazed hippies	
Sunstrip™ Sc	olar Fin	
SS146/12	146 mm fin/12 mm tube (\$/sq.m)	55
SS146/12 - P	146 mm fin/12 mm tube, semi-selective surface (\$/sq.m)	72
SS146/12 - SP*	146 mm fin/12 mm tube, selective surface (\$/sq.m)	101
SScutting	Cutting charge for fin	1.60
DTL Shell-ar	nd-tube Heat Exchangers	
	Shell-and-Tube Heat Exchangers	F2/
D2T7L3	2" by 3' all copper shell-and-tube	536
D2T7L4	2" by 4' all copper shell-and-tube	631
DZ17L 1	2" each extra foot add (for custom orders)	96
3" Diameter	Shell-and-Tube Heat Exchangers	817
3" Diameter D3T14L3	3" by 3' all copper shell-and-tube	817
3" Diameter D3T14L3 D3T14L4	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube	962
	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube	962 1253
3" Diameter D3T14L3 D3T14L4 D3T14L6	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube 3" each extra foot add (for custom orders)	962 1253
3" Diameter D3T14L3 D3T14L4 D3T14L6	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube 3" each extra foot add (for custom orders) Shell-and-Tube Heat Exchangers	962 1253 149
3" Diameter D3T14L3 D3T14L4 D3T14L6 4" Diameter D4T28L4	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube 3" each extra foot add (for custom orders) Shell-and-Tube Heat Exchangers 4" by 4' all copper shell-and-tube	962 1253 149
3" Diameter D3T14L3 D3T14L4 D3T14L6 4" Diameter D4T28L4 D4T28L6	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube 3" each extra foot add (for custom orders) Shell-and-Tube Heat Exchangers 4" by 4' all copper shell-and-tube 4" by 6' all copper shell-and-tube	962 1253 149 1620 2095
3" Diameter D3T14L3 D3T14L4 D3T14L6	3" by 3' all copper shell-and-tube 3" by 4' all copper shell-and-tube 3" by 6' all copper shell-and-tube 3" each extra foot add (for custom orders) Shell-and-Tube Heat Exchangers 4" by 4' all copper shell-and-tube	962 1253 149

^{4&}quot; each extra foot add (for custom orders)

* Limited quantities available. For repairs only.

Prices do not include GST, HST, & PST. Prices are FOB Dartmouth, Nova Scotia, Canada.

Prices are subject to change without notice. Prices are in Canadian dollars.

Thermo Dynamics Ltd. (TDL) Terms and Conditions of Sale *

Payment and Taxes

Payments are to be made according to the terms of payment on TDL invoices. TDL will charge, on any amount upaid 30 days after invoice date, interest each month at two percent (2%), which represents (26.8%) per year.

Transportation Costs

Unless otherwise specified, all shipments are F.O.B. Thermo Dynamics Ltd., Dartmouth. Method and route of shipment shall be at the discretion of TDL unless purchaser shall specify otherwise. Any additional expense of the method or route of shipment specified by purchaser shall be borne by purchaser.

Packaging and Handling Costs

Unless otherwise specified, all shipments are subject to packaging/crating and handling costs. Method of packaging/crating shall be at the discretion of TDL.

Standard Packaging/Crating charges:

SB32-9PV \$80 per system
SB64-9PV \$120 per system
Solar Collectors \$35 per collector
Glass \$40 per sheet
Absorber Plates \$40 per absorber

Reserve of Ownership

TDL retains ownership of all products until full payment of the sale price.

Price and Price Adjustment

Prices are subject to change and will be those in effect on the date of shipment.

* This is an abbreviated set of Terms and Conditions of Sale. For a copy of the complete document, please contact TDL or download from our website.



SOLAR SPECIALISTS

101 Frazee Avenue • Dartmouth Nova Scotia • Canada • B3B-1Z4 Tel: (902) 468-1001 • Fax: (902) 468-1002 solarinfo@thermo-dynamics.com www.thermo-dynamics.com

"Since 1981"





SB32-9PV: **6.00** GJ/year SB64-9PV: **9.94***GJ/year

HAUTE EFFICACITÉ
r Boiler System only
PV: 6.00 GJ/year



*The highest energy output of all CSA approved systems!